

Franchise Reference Guide (Retail)

Effective March 14, 2011



Fabric Information










All fabrics in this collection are fire retardant. For information on specific standards and certifications see pages 17-18. There are a number of Budget Blinds exclusive fabrics in the collection. These are highlighted in bold type in the chart on page 15.

All fabrics in this collection are available as separate cut yardage by request, full yards only.

Some shade fabrics have a repeating pattern in their design, exact pattern matching is not possible.

Shade fabrics are virtually maintenance free. Specific cleaning instructions are given in the Shade Fabric Swatch Binder and on the divider card for the fabrics within each fabric line.

The fabrics in this collection were carefully chosen, based on a number of criteria, for the widest variety of looks, rooms, and functions. The criteria are as follows:

	Designates the percentage of open space in a fabric's weave. This icon shows 3% openness.		Fabric offers superior heat resistance and energy savings.
	Closed-weave fabric. Blackout blocks all light; light filtering allows some light to pass through. This icon denotes a blackout fabric.		Fabric offers superior glare control against harsh sunlight.
	Fabric may be transversed and seamed on larger shade sizes.		Fabric offers superior view through to outside spaces.
	Maximum cloth width without seaming. This icon shows 95" maximum cloth width.		Fabric offers superior UV protection against damaging rays.
	Fabric contains no polyvinyl chloride.	<i>See pages 14-16 for more detailed information on how each fabric in the collection performs based on these criteria.</i>	

GREENGUARD Children & SchoolsSM Certification

GREENGUARD Children & SchoolsSM Certification is valuable for designers, businesses, and homeowners who want to locate, specify, and purchase low emitting products for indoor environments. GREENGUARD[®] Children & SchoolsSM certified materials meet or exceed the strictest standards for indoor air quality where children spend many hours a day. See charts on pages 14-16 for details.



Microban[®] Protection

Microban antimicrobial protection works continually to inhibit the growth of stain-causing bacteria, mold and mildew for the life of the shade. Many SheerWeave[®] fabrics by Phifer now include Microban[®]. See charts on pages 14-16 for details. Microban is a registered trademark of Microban Products Company.





Franchise Reference Guide (Retail)

Effective March 14, 2011

Fabric Information—Phifer Fabrics

Fabric Line	Color Name	Color Number	Max. Roll Width	Approx. Openness	Fabric May Be Seamed	Duplex Fabric	PVC Free	Contains Microban	GREENGUARD C&S Certified	Heat Resistance	Glare Control	View Through	UV Protection
SW7000	White	P62	93"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Birch	P63	93"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Sand	P64	93"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Wheat	Q57	93"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Canyon	V41	93"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Mushroom	Q58	93"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Graphite	V39	93"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Onyx	V40	93"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
SW7500	Coconut	R14	117"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Spirit	R16	117"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Starfish	R18	117"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Dune	R17	117"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Stone	R19	117"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Odyssey	R20	117"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
	Midnight	R22	117"	Blackout	Yes	Yes	Yes	No	Yes	★★★★	★★★★	N/A	★★★★
SW2900~	Oyster	P12	97"	5%	Yes	No	No	Yes	Yes	★★★★	*	**	★★★★
	Oyster/Beige	P13	97"	5%	Yes	No	No	Yes	Yes	★★★	**	★★★	★★★★
	Oyster/Pearl Gray	P14	97"	5%	Yes	No	No	Yes	Yes	**	**	★★★	★★★★
	Charcoal/Chestnut	V24	97"	5%	Yes	No	No	Yes	Yes	*	★★★★	★★★★	★★★★
	Charcoal	V21	97"	5%	Yes	No	No	Yes	Yes	*	★★★★	★★★★	★★★★
SW2400~	Oyster	P12	97"	3%	Yes	No	No	Yes	Yes	★★★★	*	**	★★★★
	Oyster/Beige	P13	97"	3%	Yes	No	No	Yes	Yes	★★★	**	★★★	★★★★
	Oyster/Pearl Gray	P14	97"	3%	Yes	No	No	Yes	Yes	**	**	★★★	★★★★
	Charcoal/Chestnut	V24	97"	3%	Yes	No	No	Yes	Yes	*	★★★★	★★★★	★★★★
	Charcoal	V21	97"	3%	Yes	No	No	Yes	Yes	*	★★★★	★★★★	★★★★
SW2500~	Oyster	P12	97"	1%	Yes	No	No	Yes	Yes	★★★★	**	**	★★★★
	Oyster/Beige	P13	97"	1%	Yes	No	No	Yes	Yes	★★★	**	**	★★★★
	Oyster/Pearl Gray	P14	97"	1%	Yes	No	No	Yes	Yes	**	**	**	★★★★
	Charcoal/Chestnut	V24	97"	1%	Yes	No	No	Yes	Yes	*	★★★★	★★★	★★★★
	Charcoal	V21	97"	1%	Yes	No	No	Yes	Yes	*	★★★★	★★★	★★★★
SW2703~	Oyster/Beige	P13	97"	3%	Yes	Yes	No	Yes	Yes	★★★★	**	**	★★★★
	Oyster/Pewter	P91	97"	3%	Yes	Yes	No	Yes	Yes	★★★	★★★	★★★	★★★★
	Oyster/Chestnut	P92	97"	3%	Yes	Yes	No	Yes	Yes	★★★	★★★★	★★★★	★★★★
	Oyster/Charcoal	P28	97"	3%	Yes	Yes	No	Yes	Yes	★★★	★★★★	★★★★	★★★★
SW2705~	Oyster/Beige	P13	97"	5%	Yes	Yes	No	Yes	Yes	★★★★	**	**	★★★★
	Oyster/Pewter	P91	97"	5%	Yes	Yes	No	Yes	Yes	★★★★	★★★	★★★	★★★★
	Oyster/Chestnut	P92	97"	5%	Yes	Yes	No	Yes	Yes	★★★	★★★★	★★★★	★★★★
	Oyster/Charcoal	P28	97"	5%	Yes	Yes	No	Yes	Yes	★★★	★★★★	★★★★	★★★★
SW4500~	Chalk	P06	97"	5%	Yes	No	No	Yes	Yes	★★★★	**	**	★★★★
	Linen	U32	97"	5%	Yes	No	No	Yes	Yes	★★★★	**	**	★★★★
	Granite	P10	97"	5%	Yes	No	No	Yes	Yes	★★★	★★★	★★★	★★★★
	Golden Sand	Q60	97"	5%	Yes	No	No	Yes	Yes	★★★	★★★	★★★	★★★★
	Cappucino	V95	97"	5%	Yes	No	No	Yes	Yes	**	★★★★	★★★★	★★★★
SW4600~	Chalk	P06	97"	3%	Yes	No	No	Yes	Yes	★★★★	**	**	★★★★
	Linen	U32	97"	3%	Yes	No	No	Yes	Yes	★★★★	**	**	★★★★
	Granite	P10	97"	3%	Yes	No	No	Yes	Yes	★★★	★★★	★★★	★★★★
	Golden Sand	Q60	97"	3%	Yes	No	No	Yes	Yes	★★★	★★★	★★★	★★★★
	Cappucino	V95	97"	3%	Yes	No	No	Yes	Yes	**	★★★★	★★★★	★★★★

~This fabric type is well suited for indoor and outdoor use.

★= Modest performance, ★★★= Good performance,
 ★★= Fair performance, ★★★★= Superior performance

Franchise Reference Guide (Retail)

Effective March 14, 2011



Fabric Information—Phifer Fabrics (continued)

Fabric Line	Color Name	Color Number	Max Roll Width	Approx. Openness	Fabric May Be Seamed	Duplex Fabric	PVC Free	Contains Microban	GREENGUARD C&S Certified	Heat Resistance	Glare Control	View Through	UV Protection
SW4700~	Quartz	T90	97"	5%	Yes	No	No	Yes	No	★★★★	★★	★★	★★★★
	Antique Gold	T93	97"	5%	Yes	No	No	Yes	No	★★★	★★★	★★★	★★★★
	Russet	T94	97"	5%	Yes	No	No	Yes	No	★★★	★★★	★★★	★★★★
	Black Pearl	T96	97"	5%	Yes	No	No	Yes	No	★★	★★★★	★★★★	★★★★
PW4800~	Alabaster	P07	97"	1%	Yes	No	No	Yes	Yes	★★★★	★★	★	★★★★
	Taupe	Q99	97"	1%	Yes	No	No	Yes	Yes	★★★	★★★	★★	★★★★
	Mocha	Q98	97"	1%	Yes	No	No	Yes	Yes	★★	★★★★	★★★	★★★★
SW5000~	Sawgrass/Sandpiper*	U47	97"	1%	No	Yes	No	Yes	No	★★★★	★★	★★	★★★★
	Sawgrass/Heron*	U48	97"	1%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
	Sawgrass/Kingfisher*	U49	97"	3%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
	Sawgrass/Pelican*	U50	97"	1%	No	Yes	No	Yes	No	★★	★★★★	★★★★	★★★★
	Sawgrass/Mallard*	U51	97"	3%	No	Yes	No	Yes	No	★★	★★★★	★★★★	★★★★
SW5000~	Elements/Laurel	U56	97"	10%	No	Yes	No	Yes	No	★★★★	★★	★★	★★★★
	Elements/Toasted Coconut	U16	97"	10%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
	Elements/Mushroom	Q51	97"	5%	No	Yes	No	Yes	No	★★★	★★★	★★	★★★★
	Elements/Tiger Oak	Q50	97"	5%	No	Yes	No	Yes	No	★★★	★★★★	★★★	★★★★
	Elements/Jade	U13	97"	10%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
	Elements/Copper	U25	97"	10%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
SW5000~	Elements/Chestnut	V90	97"	10%	No	Yes	No	Yes	No	★★	★★★★	★★★★	★★★★
	Linen/Cream	U12	97"	3%	No	Yes	No	Yes	No	★★★★	★★	★★	★★★★
	Linen/Seafoam*	U54	97"	5%	No	Yes	No	Yes	No	★★★	★★	★★	★★★★
	Linen/Topaz	U10	97"	3%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
	Linen/Fig	V88	97"	3%	No	Yes	No	Yes	No	★★★	★★★	★★	★★★★
	Linen/Tempest*	U55	97"	5%	No	Yes	No	Yes	No	★★	★★★★	★★★★	★★★★
SW5000~	Linen/Cranberry	R11	97"	3%	No	Yes	No	Yes	No	★★	★★★★	★★★★	★★★★
	Seasons/Oatmeal	Q94	97"	5%	No	Yes	No	Yes	No	★★★★	★★	★★	★★★★
	Seasons/Wheat	Q46	97"	7%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
	Seasons/Buckeye	Q95	97"	5%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
	Seasons/Aspen*	U52	97"	7%	No	Yes	No	Yes	No	★★	★★★★	★★★★	★★★★
Seasons/Wheatgrass*	U53	97"	7%	No	Yes	No	Yes	No	★★	★★★★	★★★★	★★★★	
SW5000~	Rattan/Shimmer	U30	97"	10%	No	Yes	No	Yes	No	★★★★	★★	★★	★★★★
	Rattan/Caramel	U31	97"	10%	No	Yes	No	Yes	No	★★★	★★★	★★	★★★★
	Rattan/Spa*	U36	97"	7%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
	Rattan/Latte*	U37	97"	3%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
	Rattan/Umber	Q49	97"	7%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
	Rattan/Russet*	U38	97"	10%	No	Yes	No	Yes	No	★★★	★★★	★★★	★★★★
	Rattan/Chesapeake*	U39	97"	7%	No	Yes	No	Yes	No	★★	★★★	★★★★	★★★★
	Rattan/Raven	V91	97"	10%	No	Yes	No	Yes	No	★★	★★★★	★★★	★★★★
SW5000~	Filigree/Crystal	U23	97"	7%	No	Yes	No	Yes	No	★★★★	★	★	★★★★
	Filigree/Frost	U20	97"	7%	No	Yes	No	Yes	No	★★★	★★	★★	★★★★
	Filigree/Sicily*	U40	97"	3%	No	Yes	No	Yes	No	★★★	★★	★★	★★★★
	Filigree/Milano*	U41	97"	7%	No	Yes	No	Yes	No	★★★	★★	★★	★★★★
	Filigree/Roma*	U42	97"	7%	No	Yes	No	Yes	No	★★	★★★	★★★	★★★★
	Filigree/Firenze*	U43	97"	7%	No	Yes	No	Yes	No	★★	★★★	★★★	★★★★
	Filigree/Mocha*	U44	97"	3%	No	Yes	No	Yes	No	★★	★★★	★★★	★★★★
	Filigree/Venice*	U45	97"	7%	No	Yes	No	Yes	No	★	★★★★	★★★★	★★★★
	Filigree/Tuscany*	U46	97"	7%	No	Yes	No	Yes	No	★	★★★★	★★★★	★★★★

~This fabric type is well suited for indoor and outdoor use.
 *These fabrics are exclusive to the Budget Blinds collection.

★ = Modest performance,	★★★ = Good performance,
★★ = Fair performance,	★★★★ = Superior performance



Franchise Reference Guide (Retail)

Effective March 14, 2011

Fabric Information—New Fabrics for 2011

Fabric Line	Color Name	Color Number	Max. Roll Width	Approx. Openness	Fabric May Be Seamed	Duplex Fabric	PVC Free	Contains Microban	GREENGUARD C&S Certified	Heat Resistance	Glare Control	View Through	UV Protection
SB9000	White	SB9010	71"	Blackout	Yes	No	No	No	No	★★★★	★★★★	N/A	★★★★
	Ivory	SB9020	71"	Blackout	Yes	No	No	No	No	★★★★	★★★★	N/A	★★★★
	Oyster	SB9070	71"	Blackout	Yes	No	No	No	No	★★★★	★★★★	N/A	★★★★
	Champagne	SB9060	71"	Blackout	Yes	No	No	No	No	★★★★	★★★★	N/A	★★★★
	Gray	SB9040	71"	Blackout	Yes	No	No	No	No	★★★★	★★★★	N/A	★★★★
	Black	SB9050	71"	Blackout	Yes	No	No	No	No	★★★★	★★★★	N/A	★★★★
SB9100	Ivory	SB9102	71"	Blackout	Yes	Yes	No	No	No	★★★★	★★★★	N/A	★★★★
	Putty	SB9150	71"	Blackout	Yes	Yes	No	No	No	★★★★	★★★★	N/A	★★★★
	Wheat	SB9130	71"	Blackout	Yes	Yes	No	No	No	★★★★	★★★★	N/A	★★★★
	Grey	SB9110	71"	Blackout	Yes	Yes	No	No	No	★★★★	★★★★	N/A	★★★★
	Navy	SB9190	71"	Blackout	Yes	Yes	No	No	No	★★★★	★★★★	N/A	★★★★
	Forest Green	SB9160	71"	Blackout	Yes	Yes	No	No	No	★★★★	★★★★	N/A	★★★★
	Burgundy	SB9180	71"	Blackout	Yes	Yes	No	No	No	★★★★	★★★★	N/A	★★★★
	Chocolate	SB9120	71"	Blackout	Yes	Yes	No	No	No	★★★★	★★★★	N/A	★★★★
	Black	SB9170	71"	Blackout	Yes	Yes	No	No	No	★★★★	★★★★	N/A	★★★★
M Screen	White	MM03-0202	122"	3%, 5%	Yes	No	No	No	Yes	★★★★	*	**	★★★★
	White/Stone	MM03-0222	122"	3%, 5%	Yes	No	No	No	Yes	★★★★	*	**	★★★★
	White/Sable-Mustard	MM03-M163	122"	3%, 5%	Yes	No	No	No	Yes	★★★★	*	**	★★★★
	White/Sable-Cocoa	MM03-M164	122"	3%, 5%	Yes	No	No	No	Yes	★★★★	*	**	★★★★
	Pearl	MM03-0707	122"	3%, 5%	Yes	No	No	No	Yes	***	**	***	★★★★
	Pearl/Sable	MM03-0710	122"	3%, 5%	Yes	No	No	No	Yes	***	**	***	★★★★
	Sable/Mustard-Hazelnut	MM03-M175	122"	3%, 5%	Yes	No	No	No	Yes	***	**	***	★★★★
	Sable/Cocoa-Hazelnut	MM03-M155	122"	3%, 5%	Yes	No	No	No	Yes	***	**	***	★★★★
	Sable/Charcoal	MM03-1030	122"	3%, 5%	Yes	No	No	No	Yes	***	**	***	★★★★
	Cocoa/Fall-Mustard	MM03-M169	122"	3%, 5%	Yes	No	No	No	Yes	**	**	***	★★★★
	Cocoa/Phoenix-Hazelnut	MM03-M170	122"	3%, 5%	Yes	No	No	No	Yes	**	**	***	★★★★
	Charcoal/Apricot	MM03-3071	122"	3%, 5%	Yes	No	No	No	Yes	**	**	***	★★★★
	Charcoal/Straw-Cocoa	MM03-M174	122"	3%, 5%	Yes	No	No	No	Yes	**	**	***	★★★★
	Cocoa/Phoenix-Cocoa	MM03-M171	122"	3%, 5%	Yes	No	No	No	Yes	**	**	***	★★★★
	Cocoa/Brick Façade-Fall	MM03-M168	122"	3%, 5%	Yes	No	No	No	Yes	*	***	****	★★★★
	Charcoal/Brick Façade-Fall	MM03-M172	122"	3%, 5%	Yes	No	No	No	Yes	*	***	****	★★★★
	Cocoa/Charcoal	MM03-6130	122"	3%, 5%	Yes	No	No	No	Yes	*	****	****	★★★★
Charcoal/Hunter	MM03-3051	122"	3%, 5%	Yes	No	No	No	Yes	*	****	****	★★★★	
Charcoal/Ultramarine	MM03-3041	122"	3%, 5%	Yes	No	No	No	Yes	*	****	****	★★★★	
Charcoal	MM03-3030	122"	3%, 5%	Yes	No	No	No	Yes	*	****	****	★★★★	
T Screen	White	9803-0202	97"	3%	Yes	Yes	No	No	Yes	★★★★	*	**	★★★★
	White/Linen	9803-0220	97"	3%	Yes	Yes	No	No	Yes	★★★★	*	**	★★★★
	White/Sable-Straw	9803-M151	97"	3%	Yes	Yes	No	No	Yes	★★★★	*	**	★★★★
	White/Sable-Cocoa	9803-M164	97"	3%	Yes	Yes	No	No	Yes	***	**	***	★★★★
	White/Charcoal-Grey	9803-M116	97"	3%	Yes	Yes	No	No	Yes	***	**	***	★★★★
	Sable/Straw-Cocoa	9803-M153	97"	3%	Yes	Yes	No	No	Yes	***	**	***	★★★★
	Sable/Cocoa-Hazelnut	9803-M155	97"	3%	Yes	Yes	No	No	Yes	**	**	***	★★★★
	Cocoa/Grey-Straw	9803-M161	97"	3%	Yes	Yes	No	No	Yes	**	**	***	★★★★
	Charcoal/Linen-Pearl	9803-M85	97"	3%	Yes	Yes	No	No	Yes	**	**	***	★★★★
	Cocoa/Phoenix-Fall	9803-M159	97"	3%	Yes	Yes	No	No	Yes	*	***	****	★★★★
	Charcoal/Sable-Cocoa	9803-M160	97"	3%	Yes	Yes	No	No	Yes	*	****	****	★★★★
	S Screen	Seasalt	MS02.P1	97"	4%	No	Yes	No	No	Yes	★★★★	*	**
Nougat		MS10.P1	97"	4%	No	Yes	No	No	Yes	★★★★	*	**	★★★★
Peppercorn		MS07.B1	97"	4%	No	Yes	No	No	Yes	★★★★	*	**	★★★★
Almond		MS10.B2	97"	4%	No	Yes	No	No	Yes	***	**	***	★★★★
Sesame		MS61.P6	97"	4%	No	Yes	No	No	Yes	***	**	***	★★★★
Licorice		MS30.B2	97"	4%	No	Yes	No	No	Yes	***	**	***	★★★★
Porcelain		MS02.D1	97"	4%	No	Yes	No	No	Yes	**	**	***	★★★★
Marble		MS02.D2	97"	4%	No	Yes	No	No	Yes	**	**	***	★★★★
Jute		MS20.C1	97"	4%	No	Yes	No	No	Yes	**	**	***	★★★★
Granite		MS07.C1	97"	4%	No	Yes	No	No	Yes	*	***	****	★★★★
Sepia		MS61.N2	97"	4%	No	Yes	No	No	Yes	*	****	****	★★★★
Carbon		MS30.W2	97"	4%	No	Yes	No	No	Yes	*	****	****	★★★★

★ = Modest performance, ★★★ = Good performance,
 ★★ = Fair performance, ★★★★ = Superior performance

Franchise Reference Guide (Retail)

Effective March 14, 2011



Fabric Information

Phifer—SheerWeave® 7000

Fire Classification: California U.S. Title 19 (small scale), NFPA 701-2004 TM#1 (small scale) and British Standard 5867

Bacteria and Fungal Resistance: ASTM G21-96, AATCC 174-1998 Part II and III

Environmental Certification: GREENGUARD® Certified and GREENGUARD Children and SchoolsSM Certified

Lead Free: RoHS/Directive 2002/95/EC, US Consumer Product Safety Commission Section 101 and ANSI/WCMA A100.1-2007 for lead content

Phifer—SheerWeave 7500

Fire Classification: California U.S. Title 19 (small scale), NFPA 701-2004 TM#1 (small scale)

Bacteria and Fungal Resistance: ASTM E 2180 and ASTM G 22

Environmental Certification: GREENGUARD® Certified and GREENGUARD Children and SchoolsSM Certified

Lead Free: RoHS/Directive 2002/95/EC, US Consumer Product Safety Commission Section 101 and ANSI/WCMA A100.1-2007 for lead content

Phifer—SheerWeave 2900, 2400, 2500

Fire Classification: M1 (2900), California U.S. Title 19 (small scale), NFPA 701-2004 TM#1 (small scale), NFPA 101 (Class A Rating), UBC (Class 1), British Standard 5867 and NFPA 701 TM#2 Large Scale

Bacteria and Fungal Resistance: ASTM E 2180, contains Microban antimicrobial protection

Environmental Certification: GREENGUARD® Certified and GREENGUARD Children and SchoolsSM Certified

Lead Free: RoHS/Directive 2002/95/EC, US Consumer Product Safety Commission Section 101 and ANSI/WCMA A100.1-2007 for lead content

Phifer—SheerWeave 2703, 2705

Fire Classification: M1 (2703, 2705), California U.S. Title 19 (small scale), NFPA 701-2004 TM#1 (small scale), NFPA 101 (Class A Rating), UBC (Class 1), British Standard 5867 and NFPA 701 TM#2 Large Scale

Bacteria and Fungal Resistance: ASTM E 2180, contains Microban antimicrobial protection

Environmental Certification: GREENGUARD® Certified and GREENGUARD Children and SchoolsSM Certified

Lead Free: RoHS/Directive 2002/95/EC, US Consumer Product Safety Commission Section 101 and ANSI/WCMA A100.1-2007 for lead content

Phifer—SheerWeave 4500, 4600

Fire Classification: California U.S. Title 19 (small scale), ASTM E 84 (Class 1), British Standard 5867 Type B, and NFPA 701 TM#1 Small Scale

Bacteria and Fungal Resistance: ASTM E 2180, contains Microban antimicrobial protection

Environmental Certification: GREENGUARD® Certified and GREENGUARD Children and SchoolsSM Certified

Lead Free: RoHS/Directive 2002/95/EC, US Consumer Product Safety Commission Section 101 and ANSI/WCMA A100.1-2007 for lead content

Phifer—SheerWeave 4700

Fire Classification: NFPA 701 Small Scale

Bacteria and Fungal Resistance: ASTM E 2180 and ASTM G 22, contains Microban antimicrobial protection

Lead Free: RoHS/Directive 2002/95/EC, US Consumer Product Safety Commission Section 101 and ANSI/WCMA A100.1-2007 for lead content

Phifer—SheerWeave 4800

Fire Classification: California U.S. Title 19 (small scale), NFPA 701-2004 TM#1 (small scale), NFPA 101 (Class A Rating), UBC (Class 1), British Standard 5867 and NFPA 701 TM#2 Large Scale and CAN/ULC S109-M-87

Bacteria and Fungal Resistance: ASTM E 2180, contains Microban antimicrobial protection

Environmental Certification: GREENGUARD® Certified and GREENGUARD Children and SchoolsSM Certified

Lead Free: RoHS/Directive 2002/95/EC, US Consumer Product Safety Commission Section 101 and ANSI/WCMA A100.1-2007 for lead content

Phifer—SheerWeave 5000

Fire Classification: California Technical Bulletin 117 Sect. E Part 1, NFPA 101 (Class A Rating), and UBC (Class 1)

Bacteria and Fungal Resistance: ASTM E 2180 and ASTM G 22, contains Microban antimicrobial protection

Lead Free: RoHS/Directive 2002/95/EC, US Consumer Product Safety Commission Section 101 and ANSI/WCMA A100.1-2007 for lead content



Franchise Reference Guide (Retail)

Effective March 14, 2011

Fabric Information—New Interior Fabrics for 2011

Draper—SunBloc 9000

Fire Classification: NFPA 701 1996 Test 1
Bacteria and Fungal Resistance: ASTM G21
Environmental Benefits: Lead Free

Draper—SunBloc 9100

Fire Classification: NFPA 701 1996 Test 1
Bacteria and Fungal Resistance: ASTM G21
Environmental Benefits: Lead Free

Mermet—M Screen

Fire Classification: NFPA 701-99 TM#1, California U.S. Title 19.
Bacteria and Fungal Resistance: ASTM G21
Environmental Certification: GREENGUARD® Certified and GREENGUARD Children and SchoolsSM Certified
Environmental Benefits: Lead Free

Mermet—T Screen

Fire Classification: NFPA 701-99 TM#1, California U.S. Title 19.
Bacteria and Fungal Resistance: ASTM G21
Environmental Certification: GREENGUARD® Certified and GREENGUARD Children and SchoolsSM Certified
Environmental Benefits: Lead Free, Bromine Free, Mercury Free

Mermet—S Screen

Fire Classification: NFPA 701-04 TM#1, California U.S. Title 19.
Bacteria and Fungal Resistance: ASTM G21
Environmental Certification: GREENGUARD® Certified and GREENGUARD Children and SchoolsSM Certified
Environmental Benefits: Lead Free

For information on Exterior Fabrics see pages 51-52.