

AT HOME

DraperOnline for Draper At Home

GETTING STARTED GUIDE



Make the most of your time.

Generate quotes anytime.

Receive instant access to a printed quote.

Request and generate drawings (dwg and pdf) to be emailed to you within minutes.

Reopen and revise quotes.


Convert your quote to an order with a few clicks.



DraperOnline - Logging In


DraperOnline is located in the Draper Pro Portal.

- No Pro Portal account? Register for one here: www.draperinc.com/draperpro/register.aspx
- While filling out the registration form, select "Yes" beside "If you do not have a DraperOnline User ID, would you like to request one?"



Already have a Pro Portal account?


- To log on to DraperOnline for the first time, visit your account maintenance page here: www.draperinc.com/draperpro/accountmaintenance.aspx
- Click the Request a DraperOnline User ID button.
- You'll receive an email with your DraperOnline User ID.
- Go back to your Pro Portal account maintenance page to enter your DraperOnline User ID in the appropriate field.
- From this point on, you can automatically log into DraperOnline from the Pro Portal: www.draperinc.com/draperpro/portal.aspx







Navigating the Dashboard & Starting a Quote




When you first log in, you will see the "Dashboard".

DASHBOARD and QUOTE WINDOW

- There will be no quotes the first time you log on. As you create multiple quotes, you can use the dashboard filters to search for a quote you've already created.
- Click on the NEW QUOTE button to get started!
- 3 If there are multiple users on your company's account, all of their quotes will be visible as well.


Header Tab — Quote Information and Address Information



NEW QUOTE WINDOW

- The address will autofill with the info in our Draper system. Make sure all fields needed are complete on the <u>header</u> tab. Drop-ship requires extra steps for delivery to a different address.
- 1 The **QUOTE NAME** field is required. Please fill in with the name of the project you are quoting.
 - The P.O. NUMBER field is the second required field. Please fill in with whatever you wish to use for your reference. Or fill in "Quote."
- If you are drop shipping the order, click on the SHIP-TO drop down and select ONE-TIME-SHIP-TO and fill in the shipping address, contact name, and phone at the delivery location before placing order. If this field is not changed, the order will ship to your BILL-TO address.

Configuration Options



(1) Fill in the details of the ITEM (shade or screen) you want to add. Once all the details are filled in, click the ADD button.

OR

Click the LOCK icon on any features you wish to apply to future line items. This allows rapid entry of multiple line items that may share features such as fabric or hardware choice. Clicking the SELECT OPTIONS button will allow you to explore more in depth the product you have selected.

If you are satisfied with the details you have provided, clicking the **ADD** button at the bottom of the window will add the line item to your quote.

Any boxes that are already selected are the Draper standard options for that product.

The **tab** key will advance you to the next required field.

On many of the fields, typing in the **first letter** will provide a drop down box.

For example: for measurements, type "I" and three choices will appear.


Fabrics are listed either **numerically or alphabetically**, e.g. Typing "2" will show the fabric list starting with 2000.



Please create separate Shade and Screen quotes if both are on the same project.



Expand All to View Details




ITEM SELECTION WINDOW, EXPAND FOR DETAILS

- When the items are added onto your quote, there are no details displayed in standard view.
 - Click the EXPAND ALL tab to see the line details for each line item listed so far on the quote.
 - When new items are added, the details for those new items will not be in view. Keep adding new items the same way. Continue to click EXPAND ALL to view details if needed.
 - 3 Use the blue **COPY** button to create a duplicate of a specific line. This allows for quick data entry when only one feature needs to be changed from one line to the next.




Using the Rapid Change Option



Making changes to multiple line items at once is quick and easy.

TO MAKE CHANGES

- Click on the RAPID CHANGE button. (Feature not available on AV products.)
- This option is only available on certain products at this time. If the RAPID CHANGE button is greyed out, then click on the CHANGE OPTIONS for that line item. Locate the drop down that needs changes to select that change, then click CONTINUE in the upper left corner. (You may need to click this button several times.)



Apply changes, then return to your quote.

ITEM SELECTION WINDOW, EXPAND FOR DETAILS

- Click on the FILTER BY drop down menu to select the product you want to change. As you make a change, only options with a checkmark will change.
- When ready, click the APPLY OPTIONS button and all selected products will change.
- Click on EXIT RAPID CHANGE to return to the dashboard.

Saving and Printing Your Quote



PRINT OPTIONS WINDOW


- Steps to keep a record of your quote.
 - Once your quote is complete, you can create a PDF version by clicking the PRINT button at the top. A second window will appear.
 - Click PRINT again to create a PDF for saving or printing.
 - PDF result for saving or printing.



Choose "Selling (MSRP)" for quote to be at MSRP.



Returning to Your Dashboard



QUOTES WINDOW AND NAVIGATION

- Navigate back to Dashboard and find quotes using Quote Search.
 - Click on the HOME button at the top of the menu. To return to your quote Dashboard, click on Quotes.
 - Select a quote by double clicking on a quote, OR . . .
 - 3 Click on the folder icon at left of the quote for more options. You can open, open in a new page, print, copy, or delete the quote. Please ignore the Export option.


If you delete the quote, it CANNOT be retrieved.



The more detail you provide on your header page, the easier your search for quotes will be.



Adding Contact Info Before Ordering



USE ORDER COMMENTS FOR CONTACT INFORMATION

- Before placing order please enter the desired contact information in the Place Order area to ensure proper delivery.
 - Select a quote by double clicking on a quote, OR... Click on the icons at left of the quote you wish to order and select Open.
 - Click on the PLACE ORDER button at the top to open the window you will need to enter your contact information.
 - Scroll down to the PAYMENT INFORMATION and CONTACT INFORMATION sections.

Enter the desired contact name and phone number (required).


Your order is ready to be placed.



Please request permission to order through your Draper representative if Order button is not active.



Turning Quotes Into Orders



TURN QUOTES INTO ORDERS

- Now that you have had experience doing your own quotes online, you can convert your quotes directly into orders. This skips the normal order entry time. Quotes must be converted exactly as they are entered.
 - Click on the PLACE ORDER tab at the top of the Place Order window.

Your order will go directly into the Draper system exactly as you entered the quote. A window with your order confirmation number will show up on your screen.

- Special comments not are allowed on online orders.
- No change orders can be made and no custom details are possible once quote is ordered.
- To change orders, the original order needs to be cancelled and a new order submitted.
- Orders can be cancelled by contacting your Draper
 Sales Consultant in writing with the P.O. used for the order. Cancellations must be done within 24 hours.

Your Order is Now Complete

Place Order - SODWVA0000014

Your order has been successfully placed.

The assigned order number is SODWVA0000014.

The status of the quote SQDWVA000391-1 from which you created this order has been changed to 'Ordered' and all other 'Open' quote versions have been set to 'Closed'.



X

INDICATES COMPLETION OF ORDER

- Your order, exactly as you entered the quote, is complete with a confirmation number. Any changes can only be done by cancelling this order within 24 hours and starting a new order.
- Click on OK to return to your dashboard.

At this point, the order can't be changed, except for the ship-to address. If the details of any part of the order need to be changed, the order must be cancelled and re-submitted. This needs to be done within 24 hours. A window with your order confirmation number will appear on your screen.



Draper At Home AV Product Codes for DraperOnline

Highlighted products are the most commonly used.

AV: LIFTS & MOUN	115		
PRODUCT CODE:	DESCRIPTION:		
ACC ULT XL E	Large, ceiling recessed motorized screen, non-tensioned, with door closure		
ACC ULT XL TVX	Large, ceiling recessed motorized screen, tensioned with door closure, with TecVision surface		
ACC ULT XL V	Large, ceiling recessed motorized screen, tensioned, with door closure		
ACCESS E	Ceiling recessed motorized screen, non-tensioned		
ACCESS E ULT	Ceiling recessed motorized screen, non-tensioned, with door closure		
ACCESS V	Ceiling recessed motorized screen, tensioned		
ACCESS V TVX	Ceiling recessed motorized screen, tensioned, with TecVision surface		
ACCESS V ULT	Ceiling recessed motorized screen, tensioned with door closure		
ACCESS XL E	Large, ceiling recessed motorized screen, non-tensioned		
ACCESS XL V	Large, ceiling recessed motorized screen, tensioned		
ACCESS XL V TVX	Large, ceiling recessed motorized screen, tensioned, with TecVision surface		
ACCESSV ULT TVX	Ceiling recessed motorized screen, tensioned with door closure, with TecVision surface		
ACUMEN E	Below ceiling motorized screen		
ACUMEN RC E	Below ceiling motorized screen, battery		
ACUMEN RC V	Below ceiling motorized screen, battery, tensioned		
ACUMEN RC V TVX	Below ceiling motorized screen, battery, tensioned, with TecVision surface		
ACUMEN V	Below ceiling motorized screen, tensioned		
ACUMEN V TVX	Below ceiling motorized screen, tensioned, with TecVision surface		
ACUMEN XL E	Large, below ceiling motorized screen		
ACUMEN XL V	Large, below ceiling motorized screen, tensioned		
ACUMEN XL V TVX	Large, below ceiling motorized screen, tensioned, with TecVision surface		
NOCTURNE PLUS	Motorized outdoor screen		
PARAGON	Large motorized, non-tensioned screen		
PARAGON V	Large motorized, tensioned screen		
PARAGON V TVX	Large motorized, tensioned screen, with TecVision surface		
PATRIOT FLAG	Motorized flag		
PREMIER TVV	Below ceiling motorized screen, tensioned		
PREMIER TVX PREMIER XL	Below ceiling motorized screen, tensioned, with TecVision surface		
	Large, below ceiling motorized screen, tensioned		
PREMIER XL TVX TARGA	Large, below ceiling motorized screen, tensioned, with TecVision surface		
AV: MANUAL & FIX	Below ceiling motorized screen, non-tensioned		
ACCESS M	Ceiling recess manual screen		
ACUMEN M	Below ceiling manual screen		
CINEPERM	Economical fixed screen		
CLARION	2" bezel framed fixed screen		
CLARION ED	Borderless fixed screen		
CLARION ED TVX	Borderless fixed screen, with TecVision surface		
CLARION SB	1.75" square frame fixed screen		
	1./5" square frame fixed screen		
CLARION SB TVX	1.75" square frame fixed screen 1.75" square frame fixed screen, with TecVision surface		
	1.75" square frame fixed screen, with TecVision surface		
CLARION SB TVX CLARION TVX	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface		
CLARION SB TVX	1.75" square frame fixed screen, with TecVision surface		
CLARION SB TVX CLARION TVX LUMA	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Foundation LED Videowall Mount - Absen Acclaim Plus		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Foundation LED Videowall Mount - Absen Acclaim Plus Foundation LED Videowall Mount - Samsung IR		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR FDN WALL SONY FDN WALL XT SL10	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Sony		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR FDN WALL SONY FDN WALL XT SL10 SL12	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Sony Foundation LED Videowall Mount - Barco XT		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR FDN WALL SONY FDN WALL XT SL10 SL12 SL4	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Sony Foundation LED Videowall Mount - Barco XT Scissor Lift 10' service drop Scissor Lift 12' service drop Scissor Lift 4' service drop		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR FDN WALL SONY FDN WALL XT SL10 SL12	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Sony Foundation LED Videowall Mount - Barco XT Scissor Lift 10' service drop Scissor Lift 12' service drop		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR FDN WALL SONY FDN WALL XT SL10 SL12 SL4	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Sony Foundation LED Videowall Mount - Barco XT Scissor Lift 10' service drop Scissor Lift 12' service drop Scissor Lift 4' service drop		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR FDN WALL SONY FDN WALL XT SL10 SL12 SL4 SL6	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Plus Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Sansung IR Foundation LED Videowall Mount - Barco XT Scissor Lift 10' service drop Scissor Lift 4' service drop Scissor Lift 4' service drop Scissor Lift 6' service drop		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR FDN WALL SONY FDN WALL XT SL10 SL12 SL4 SL6 SL8 SLX10 SLX14 N	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Barco XT Scissor Lift 10' service drop Scissor Lift 4' service drop Scissor Lift 4' service drop Scissor Lift 6' service drop Scissor Lift 6' service drop Scissor Lift 8' service drop		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR FDN WALL SONY FDN WALL XT SL10 SL12 SL4 SL6 SL8 SLX10	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Sony Foundation LED Videowall Mount - Barco XT Scissor Lift 10' service drop Scissor Lift 4' service drop Scissor Lift 4' service drop Scissor Lift 6' service drop Scissor Lift 8' service drop Scissor Lift 8' service drop Scissor Lift 8' service drop Scissor Lift XL 10' service drop		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR FDN WALL SONY FDN WALL XT SL10 SL12 SL4 SL6 SL8 SLX10 SLX14 N	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Minual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Barco XT Scissor Lift 10' service drop Scissor Lift 12' service drop Scissor Lift 4' service drop Scissor Lift 8' service drop Scissor Lift XL 10' service drop Scissor Lift XL 14' service drop		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR FDN WALL SAM IR FDN WALL XT SL10 SL12 SL4 SL6 SL8 SLX10 SLX14 N SLX17 N SLX21 SLX24	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LeD Videowall Mount - Absen Acclaim Foundation LED Videowall Mount - Absen Acclaim Plus Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Sony Foundation LED Videowall Mount - Barco XT Scissor Lift 10' service drop Scissor Lift 12' service drop Scissor Lift 4' service drop Scissor Lift 8' service drop Scissor Lift XL 10' service drop Scissor Lift XL 10' service drop Scissor Lift XL 14' service drop Scissor Lift XL 14' service drop Scissor Lift XL 17' service drop Scissor Lift XL 17' service drop		
CLARION SB TVX CLARION TVX LUMA LUMA 2 PROFILE PLUS PROFILE PLUS TVX AV: LIFTS & MOUN AEROLIFT 35 AEROLIFT 100 AEROLIFT 150 FDN WALL ACC FDN WALL ACC PL FDN WALL SAM IR FDN WALL SAM IR FDN WALL XT SL10 SL12 SL4 SL6 SL8 SLX10 SLX14 N SLX17 N SLX21	1.75" square frame fixed screen, with TecVision surface 2" bezel framed fixed screen, with TecVision surface Manual pull-down screen Fixed screen with or without small bezel Fixed screen with or without small bezel, with TecVision surface ITS AeroLift 35 with 35-pound (16 kg) maximum lifting capacity AeroLift 100 with 100-pound (45 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity AeroLift 150 with 150-pound (68 kg) maximum lifting capacity Foundation LED Videowall Mount - Absen Acclaim Plus Foundation LED Videowall Mount - Samsung IR Foundation LED Videowall Mount - Sony Foundation LED Videowall Mount - Barco XT Scissor Lift 10' service drop Scissor Lift 12' service drop Scissor Lift 4' service drop Scissor Lift 4' service drop Scissor Lift XL 10' service drop Scissor Lift XL 10' service drop Scissor Lift XL 17' service drop		



Draper At Home Shade Product Codes for DraperOnline

WINDOW SHADE MOTORIZED PRODUCTS				
PRODUCT CODE:	DESCRIPTION:	SPECIAL NOTES ABOUT QUOTING THIS PRODUCT:		
EXT FLEX MON	Exterior Motorized FlexShade	Freight included		
FLEX ZIP 127	FlexShade ZIP 127	Freight included		
FLEX ZIP 92	FlexShade ZIP 92	Freight included		
FLEXSHADE C2MO	2-Panel Motor FlexShade	Coupled motorized FlexShade with 2 panels		
FLEXSHADE C3M0	3-Panel Motor FlexShade	Coupled motorized FlexShade with 3 panels		
FLEXSHADE 2	FlexShade 2 Motorized Shade	FlexShade 2 using surface mounted hardware		
FLEXSHADE 24V	24V Low Voltage FlexShade	Using ST30 24V motors. Freight included.		
FLEXSHADE BA	Motorized FlexShade standard battery motor.	Freight included.		
FLEXSHADE DF24	Dual Fascia 24V FlexShade	Dual FlexShade ST30 24V motors. All hardware options available for quoting. Freight included.		
FLEXSHADE DFMO	Dual Fascia Motor FlexShade	Standard dual motorized shade with variety of hardware options. Freight included.		
FLEXSHADE DHMO	Dual Headbox Motor FlexShade	Large dual motorized shade with ceiling brackets and large dual headbox. Freight included.		
FLEXSHADE MO	Motorized FlexShade	Motorized shade using Line Voltage Standard, RTS, 485, IntelliFlex I/O, or Low Voltage DC50 Motors. Freight included.		
FLEXSTYLE BA	FlexStyle Battery			
FLEXSTYLE BAZ	FlexStyle Zigbee Battery			
FLEXSTYLE MO	FlexStyle Motorized			
FLEXSTYLE MOZ	FlexStyle Zigbee Motor			
FLEXSTYLE C2M0	FlexStyle 2-Panel Motor			
FLEXSTYLE C2MOZ	FlexStyle 2-Panel Zigbee Motor			
FLEXSTYLE C3M0	FlexStyle 3-Panel Motor			
FLEXSTYLE C3M0Z	FlexStyle 3-Panel Zigbee Motor			
FLEXSTYLE 24V	FlexStyle 24 Volt Low Voltage			
FLEXSTYLE RECHG	FlexStyle Rechargeable			

WINDOW SHADE MA	NUAL PRODUCTS	
PRODUCT CODE:	DESCRIPTION:	SPECIAL NOTES ABOUT QUOTING THIS PRODUCT:
FIXED PANEL REC	Fixed Panel Rectangle	Freight included
FIXED PANEL SQ	Fixed Panel Square	Freight included
FLEXSHADE NEXD	Clutch FlexShade NEXD	Endcaps with or without chain. Freight included.

WINDOW SHADE HARDWARE & FABRIC REPLACEMENT ONLY					
PRODUCT CODE:	DESCRIPTION:	SPECIAL NOTES ABOUT QUOTING THIS PRODUCT:			
FASCIA	Fascia Only				
H CHANNEL	H Channel	Side and sill channels			
HEADBOX	Headbox Only	Single roller pocket or surface headbox, all models (headbox only)			
L ANGLE	L Angle	Side and sill angle			
SHADE FABRICS	Shade Fabric Replacement				
NEXD CLUTCH	NEXD Clutch Only	Endcaps with or without chain			

If you need assistance please call 765.987.7999 or 800.238.7999 to ask for a Residential Sales Consultant.



Photos: Draper® FlexShade® Motorized Window Shades. Fabric: Phifer® SheerWeave® SW7000 Canyon Opaque. The Right Touch Installations. Photographer: Tori Taglio.









